





Bjørkka




VISTA RELAX ZESTAW
INSTRUKCJA MONTAŻU



① x1



② x1




③ x1



④ x2




⑤ x2



⑥ x1




Ax4



Bx4




Cx8




Dx1


Zamontuj wszystkie odpowiednie śruby, ale na początku nie dokręcaj ich całkowicie. Dokręcaj śruby pojedynczo, jedna po drugiej.





Nie dokręcaj śruby przed rozpoczęciem kolejnego etapu montażu podczas instalacji.




1




2





3



4






① x2



② x2



③ x1



④ x1



Ax4




Bx4




Cx1


Zamontuj wszystkie odpowiednie śruby, ale na początku nie dokręcaj ich całkowicie.
Dokręcaj śruby pojedynczo, jedna po drugiej.




Nie dokręcaj śruby przed rozpoczęciem kolejnego etapu montażu
podczas instalacji.




1



2




3





PIELEGNACJA I CZYSZCZENIE:

1. W CELU ZAPEWNIENIA CZYSTOŚCI NALEŻY CZYŚCIĆ WILGOTNĄ ŚCIERECZKĄ. NIE NALEŻY STOSOWAĆ ŚRODKÓW WYBIELAJĄCYCH, ROZPUSSZCZALNIKÓW KWASOWYCH, ŚRODKÓW CZYSZCZĄCYCH O DZIAŁANIU ŚCIERNYM.
2. W ZMIENNYCH WARUNKACH POGODOWYCH I W OKRESIE ZIMOWYM ZDECYDOWANIE ZALECAMY PRZECHOWYWANIE W SUCHYM MIEJSCU, PRZY UŻYCIU ODPOWIEDNIEGO POKROWCA. PRZED PRZECHOWYWANIEM. PROSIMY UPEWNIĆ SIĘ, ŻE MEBLE SĄ CZYSTE I SUCHY.
3. W PRZYPADKU WYSTĄPIENIA RYS, KTÓRE POWODUJĄ ODKRYCIE METALU, ZALECAMY ZASTOSOWANIE LAKIERU ANTYKOROZYJNEGO LUB PODOBNEGO ŚRODKA.
4. NALEŻY OKRESOWO SPRAWDZAĆ I UPEWNIĆ SIĘ, ŻE WSZYSTKIE ŚRUBY SĄ DOKŁADNIE DOKRĘCONE.
5. ZDECYDOWANIE ZALECAMY UŻYCIĘ ODPOWIEDNIEGO POKROWCA DO MEBLI, ABY PRZEDŁUŻYĆ OKRES UŻYTKOWANIA.


Bjørkka




VISTA RELAX SET ASSMEBLY INSTRUCTIONS



① x1



② x1




③ x1



④ x2




⑤ x2



⑥ x1




Ax4



Bx4




Cx8




Dx1


Install all the relevant screws, but do not tighten them completely at the very beginning. Tighten the screws fully one by one.





Don't tighten up the screw before you start next mounting during the installation.




1




2





3



4







① x2



② x2



③ x1



④ x1



Ax4




Bx4




Cx1


Install all the relevant screws, but do not tighten them completely at the very beginning.
Tighten the screws fully one by one.




Don't tighten up the screw before you start next mounting during the installation.




1



2



3



CARE AND CLEANING:

1. TO CLEAN,WIPE WITH DAMP CLOTH.DO NOT USE BLEACH,ACID SOLVENTS OR ABRASIVE CLEANERS OR FRAME PARTS.
2. DURING VARYING WEATHER CONDITIONS AND WINTER PERIOD,WE STRONGLY RECOMMEND THAT IT CAN BE STORED IN A DRY AREA WITH A SUITABLE COVER BEFORE STORAGE,PLS INSURE IT IS CLEAN AND DRY.
3. IN THE EVENT OF BARE METAL SHOWING DUE TO SCRATCH,IT IS PREFERRED TO TREAT WITH A RUST REPELLING VARNISH OR SIMILAR.
4. PERIODICALLY CHECK AND ENSURE THAT ALL THE SCREWS ARE COMPLETELY TIGHTEN.
5. A MATCHING FURNITURE COVER IS STRONGLY RECOMMENDED TO EXTEND THE USAGE LIFE-SPAN.